



## ANGELBIRD TECHNOLOGIES PRESENTA DOS NUEVOS PRODUCTOS A SU LÍNEA DE TARJETAS DE MEMORIA CF EXPRESS.

*La velocidad perfecta con la capacidad adecuada.*

AV PRO CF EXPRESS SE / SX TYPE B

Dornbirn/ Austria, 14 de diciembre de 2021 -- Angelbird Technologies, el primer desarrollador de soluciones de almacenamiento específicas para diferentes modelos de cámara de uso creativo-profesional, amplía su línea de tarjetas de memoria CF Express con el lanzamiento de AV PRO CF Express SE (512 GB) y AV PRO CF Express SX (160 GB) de tipo B.



### AV PRO CFexpress SE (Type B / 512 GB)

AV PRO  
CFEXPRESS  
SE



ANGELBIRD

Una tarjeta de memoria con más capacidad para trabajos de producción en los que una sola tarjeta permite cumplir con el programa de rodaje del día. AV PRO CFexpress SE posee una velocidad de escritura sostenida de 800 MB/s, admitiendo grabaciones de larga duración.



**General**

**FORM FACTOR**  
CFexpress™ Type B

**CAPACITIES**  
512 GB

**UNIT DIMENSIONS**  
38.5 × 3.8 × 29.8 mm  
(1.52 × 0.15 × 1.17 in)

**UNIT WEIGHT**  
~ 7 g | 0.25 oz

**Technical**

**INTERFACE**  
CFexpress™ 2.0 | Type B  
PCIe 3.0 ×2

**FEATURES**  
Temperature Sensor, TRIM<sup>2</sup>, ECC,  
EMS Protection, SMART<sup>2</sup>, Power  
Management

**Performance<sup>3</sup>**

**MAXIMUM SPEEDS**  
Read: 1785 MB/s  
Write: 850 MB/s

**MIN. SUSTAINED SPEEDS**  
Read: 1785 MB/s  
Write: 800 MB/s

**Reliability**

**DATA RELIABILITY**  
Built-In EDC / ECC Function

**CERTIFICATIONS**  
RoHS, CE, FCC, REACH, KC, RCM

**Electrical**

**DC INPUT VOLTAGE**  
3.3 V ± 5 %

**POWER USAGE**  
Sleep < 50mW  
Idle 0.45 W  
Max 2.40 W

**Environmental**

**SHOCK RESISTANCE**  
Operating: 50 G

**VIBRATION RESISTANCE**  
Operating: 15 G

**TEMPERATURE RESISTANCE**  
Operating:  
-10 °C | 70 °C  
14 °F | 158 °F

Storage:  
-20 °C | 85 °C  
-4 °F | 185 °F

**OPERATING HUMIDITY**  
5 % to 95 % Non-Condensing

**Warranty<sup>4</sup>**

3-Year Limited Warranty

**Package Content**

- AV PRO CFexpress SE  
Type B | 512 GB

**Retail Packaging Details**

**BOX DIMENSIONS**  
113 × 23 × 132 mm  
(4.45 × 0.91 × 5.2 in)

**BOX WEIGHT**  
~ 60 g | 2.12 oz

<sup>1</sup> Data recovery service exclusively provided by Angelbird in Austria.

<sup>2</sup> TRIM and SMART support depending on the OS used.

<sup>3</sup> Speeds based on internal testing. Actual transfer rates and capacity may vary depending on system hardware and other factors. 4K, 6K, 8K+ and Full HD support may vary depending on host device, file attributes, and other factors.

<sup>4</sup> Visit the Angelbird website and activate your 3-year warranty within 30 days of purchase.

© 2021 Angelbird Technologies GmbH  
Angelbird is a registered trademark of Angelbird Technologies. All rights reserved.

Other product names used herein are for identification purposes only and may be trademarks of their respective owners. Angelbird disclaims any and all rights in those marks.

Specifications are subject to change without notice. Specifications are provided „as is“ without warranty of any kind.

**AV PRO CFexpress SX (Type B / 160 GB)**

AV PRO  
CFEXPRESS  
SX



ANGELBIRD

Una combinación perfecta entre velocidad y capacidad. AV PRO CFexpress SX es la opción más adecuada para aquellos fotógrafos que trabajan en modo de disparo continuo de alta velocidad o en la producción de videoclips con una alta tasa de fotogramas. Posee una velocidad de escritura sostenida de 1480 MB /s, admitiendo disparos continuos e ininterrumpidos a lo largo de toda la capacidad de la tarjeta.

**General**

**FORM FACTOR**  
CFexpress™ Type B

**CAPACITIES**  
160 GB

**UNIT DIMENSIONS**  
38.5 × 3.8 × 29.8 mm  
(1.52 × 0.15 × 1.17 in)

**UNIT WEIGHT**  
~ 7 g | 0.25 oz

**Technical**

**INTERFACE**  
CFexpress™ 2.0 | Type B  
PCIe 3.0 ×2

**FEATURES**  
Temperature Sensor, TRIM<sup>2</sup>, ECC,  
EMS Protection, SMART<sup>2</sup>, Power  
Management

**Performance<sup>3</sup>**

**MAXIMUM SPEEDS**  
Read: 1785 MB/s  
Write: 1600 MB/s

**MIN. SUSTAINED SPEEDS**  
Read: 1785 MB/s  
Write: 1480 MB/s

**Reliability**

**DATA RELIABILITY**  
Built-In EDC / ECC Function

**CERTIFICATIONS**  
RoHS, CE, FCC, REACH, KC, RCM

**Electrical**

**DC INPUT VOLTAGE**  
3.3 V ± 5 %

**POWER USAGE**  
Sleep < 50mW  
Idle 0.45 W  
Max 2.40 W

**Environmental**

**SHOCK RESISTANCE**  
Operating: 50 G

**VIBRATION RESISTANCE**  
Operating: 15 G

**TEMPERATURE RESISTANCE**  
Operating:  
-10 °C | 70 °C  
14 °F | 158 °F

Storage:  
-20 °C | 85 °C  
-4 °F | 185 °F

**OPERATING HUMIDITY**  
5 % to 95 % Non-Condensing

**Warranty<sup>4</sup>**

3-Year Limited Warranty

**Package Content**

- AV PRO CFexpress SX  
Type B | 160 GB

**Retail Packaging Details**

**BOX DIMENSIONS**  
113 × 23 × 132 mm  
(4.45 × 0.91 × 5.2 in)

**BOX WEIGHT**  
~ 60 g | 2.12 oz

<sup>1</sup> Data recovery service exclusively provided by Angelbird in Austria.

<sup>2</sup> TRIM and SMART support depending on the OS used.

<sup>3</sup> Speeds based on internal testing. Actual transfer rates and capacity may vary depending on system hardware and other factors. 4K, 6K, 8K+ and Full HD support may vary depending on host device, file attributes, and other factors.

<sup>4</sup> Visit the Angelbird website and activate your 3-year warranty within 30 days of purchase.

© 2021 Angelbird Technologies GmbH  
Angelbird is a registered trademark of Angelbird Technologies. All rights reserved.

Other product names used herein are for identification purposes only and may be trademarks of their respective owners. Angelbird disclaims any and all rights in those marks.

Specifications are subject to change without notice. Specifications are provided „as is“ without warranty of any kind.



Características generales AV PRO CFexpress SE / SX:

- Stable Stream™: rendimiento de lectura y escritura ininterrumpido para obtener unos resultados fluidos y de alta definición.
- Super procesador Y2: ofrece una potencia de procesamiento excepcional para la creación de contenido fotográfico y de vídeo RAW.
- Administración de energía adaptativa: tiempo de funcionamiento mejorado de la batería de la cámara.
- Gestión de temperatura avanzada: protege la tarjeta frente al sobrecalentamiento.
- Garantía limitada de 3 años: se puede recibir visitando el sitio web de Angelbird y activando el producto dentro de los 30 días posteriores a la compra.
- Servicio de recuperación de datos.
- Opción de grabado personalizado.

**ACERCA DE ANGELBIRD**

Con base en los Alpes austriacos, Angelbird Technologies desarrolla y fabrica soluciones de medios específicas para los distintos modelos de cámaras de los creativos profesionales. Manejan todos los aspectos de la cadena de suministro desde la fabricación hasta las pruebas y el envío para asegurar que el producto en sus manos sea de la mayor calidad posible.

**ACERCA DE RODOLFO BIBER, S.A.**

Desde hace más de 60 años que Rodolfo Biber, S.A. ([www.robisa.es](http://www.robisa.es)) es importador y distribuidor español especializado en productos de fotografía, vídeo y de broadcast. Representa a marcas tan prestigiosas como Hasselblad, Tamron, Samyang, Hollyland, BenQ, Rotolight y Peli, entre otras. Sus Oficinas Centrales se encuentran en Madrid.

**CONTACTO PRENSA:**

Angelbird:  
Belinda Müller  
[belinda.mueller@angelbird.com](mailto:belinda.mueller@angelbird.com)  
+43 5572 40725

Rodolfo Biber, S.A. (distribuidor en España,  
Portugal, Gibraltar y Andorra):  
[info@robisa.es](mailto:info@robisa.es)  
+34 917 292 711